

modello:
model:

LANCIA CAVO SYSTEM

codice:
code:

A1565

design:

U.T. EgoLuce

anno - year:

2017

tipologia:

**lampada orientabile e scorrevole
su cavo**

typology:

**adjustable and sliding lamp
on cable**

materiali:

**struttura in alluminio
diffusore in policarbonato opale**

materials:

**aluminium metal frame
opal polycarbonate diffuser**

luce:

diffusa

light:

diffuse

lunghezza - length:

100 cm

sorgente luminosa:
light sources:

/100/W	4000K	18W	2260lm
/100/WW	3000K	18W	2020lm
/100/XW	2700K	18W	1890lm



0,30 Kg

lunghezza - length:

150 cm

sorgente luminosa:
light sources:

/150/W	4000K	27W	3390lm
/150/WW	3000K	27W	3030lm
/150/XW	2700K	27W	2835lm



0,45 Kg

lunghezza - length:

200 cm

sorgente luminosa:
light sources:

/200/W	4000K	36W	4520lm
/200/WW	3000K	36W	4040lm
/200/XW	2700K	36W	3780lm



0,60 Kg

lunghezza - length:

300 cm

sorgente luminosa:
light sources:

/300/W	4000K	54W	6780lm
/300/WW	3000K	54W	6060lm
/300/XW	2700K	54W	5670lm



0,90 Kg

grado IP - IP grade:

40


finiture - finishes:

.01 bianco	.01 white
.02 nero	.02 black
.85 verniciato argento	.85 painted silver
.86 verniciato oro	.86 painted gold
.87 verniciato rame	.87 painted copper
.88 verniciato bronzo	.88 painted bronze

marcatura - marking:





simboli costruttivi:
symbols:



Il rosone con driver integrato ed i tenditori con cavo in acciaio sono da ordinare separatamente.

The ceiling rose with integrated driver and the tensioners with steel cable must be ordered separately.

Dimensioni - Dimensions



La presente scheda tecnica è di proprietà di EGOLUCE srl. Tutti i diritti sono riservati. Le fotografie, le descrizioni degli apparecchi, i disegni quotati ed i valori fotometrici menzionati sono a titolo indicativo e non costituiscono alcun impegno per la nostra società che si riserva di apportare, in qualsiasi momento e senza preavviso, tutte le modifiche che riterrà opportune.

EGOLUCE s.r.l., via I. Newton 12 - 20016 Pero - Milano
 telefono +39 02 339586.1 - fax. +39 02 3535112
 e-mail: info@egoluce.com - http://www.egoluce.com

Accessori - Accessories

**0991/C****Kit fissaggio singola lampad**

1 Cavo acciaio 2 mt
1 Decentratore fissaggio cav
1 Clip reggi lampada

Single lamp cable kit

1 Steel cable 2 mt
1 Element for cable fixing
1 Suspension clip

**0965.31**

Coppia di tenditori cromati con cavo di acciaio lunghezza 6 mt
2 chromed brass tensors
with steel cable length 6 mt

0965.31/10

Coppia di tenditori cromati con cavo di acciaio lunghezza 10 mt
2 chromed brass tensors
with steel cable length 10 mt

Codici finiture - Finishes codes

**.01****.02****.85****.86****.87****.88**

Rosoni - Ceiling rose



50/60Hz 220-230V - 30W

Ø 7



ROSONE COMPLETO DI DRIVER 30W
CEILING ROSE WITH DRIVER 30W

Code	W	Codici finiture - Finishes codes
0990/30	30W	.01 Bianco - White
0990/30	30W	.02 Nero - Black
0990/30	30W	.23 Alluminio satinato - Satin Aluminium




0,50 Kg



50/60Hz 220-230V - 60W

20x20

Ø 15



ROSONE COMPLETO DI DRIVER 60W
CEILING ROSE WITH DRIVER 60W


Code	W	Codici finiture - Finishes codes
0993/60	60W	.01 Bianco - White
0993/60	60W	.02 Nero con base bianca - Black with white base



DIMMERAZIONE
DIMMING

IP	N	ID
IP	N	ID
IP	N	ID

0,60 Kg




EGOLUCE s.r.l. via I. Newton 12 - 20016 Pero - Milano
telefono +39 02 339586.1 - fax. +39 02 3535112
e-mail: info@egoluce.com - http://www.egoluce.com

Rosoni - Ceiling rose



50/60Hz 220-230V - 60W

ROSONE COMPLETO DI DRIVER 60W
CEILING ROSE WITH DRIVER 60W

Code W Codici finiture - Finishes codes

0990/60	60W	.01	Bianco - White
0990/60	60W	.02	Nero - Black
0990/60	60W	.85	Verniciato argento - Painted silver finishing
0990/60	60W	.86	Verniciato oro - Painted gold finishing
0990/60	60W	.87	Verniciato rame - Painted copper finishing
0990/60	60W	.88	Verniciato bronzo - Painted bronze finishing

DIMMERAZIONE
DIMMING


/P	/V	/D
/P	/V	/D
/P	/V	/D
/P	/V	/D
/P	/V	/D
/P	/V	/D



0,60 Kg



50/60Hz 220-230V - 100W

ROSONE COMPLETO DI DRIVER 100W
CEILING ROSE WITH DRIVER 100W

Code W Codici finiture - Finishes codes

0990/100	100W	.01	Bianco - White
0990/100	100W	.02	Nero - Black
0990/100	100W	.85	Verniciato argento - Painted silver finishing
0990/100	100W	.86	Verniciato oro - Painted gold finishing
0990/100	100W	.87	Verniciato rame - Painted copper finishing
0990/100	100W	.88	Verniciato bronzo - Painted bronze finishing

DIMMERAZIONE
DIMMING


/P	/V	/D	/IT
/P	/V	/D	/IT
/P	/V	/D	/IT
/P	/V	/D	/IT
/P	/V	/D	/IT
/P	/V	/D	/IT



1,30 Kg



50/60Hz 220-230V - 150W

ROSONE COMPLETO DI DRIVER 150W
CEILING ROSE WITH DRIVER 150W

Code W Codici finiture - Finishes codes

0990/150	150W	.01	Bianco - White
0990/150	150W	.02	Nero - Black
0990/150	150W	.85	Verniciato argento - Painted silver finishing
0990/150	150W	.86	Verniciato oro - Painted gold finishing
0990/150	150W	.87	Verniciato rame - Painted copper finishing
0990/150	150W	.88	Verniciato bronzo - Painted bronze finishing

DIMMERAZIONE
DIMMING


/P	/V	/D	/IT
/P	/V	/D	/IT
/P	/V	/D	/IT
/P	/V	/D	/IT
/P	/V	/D	/IT
/P	/V	/D	/IT



1,30 Kg



50/60Hz 220-230V - 200W

ROSONE COMPLETO DI DRIVER 200W (2x100W)
CEILING ROSE WITH DRIVER 200W (2x100W)

Code W Codici finiture - Finishes codes


0990/200	200W	.01	Bianco - White
0990/200	200W	.02	Nero - Black
0990/200	200W	.85	Verniciato argento - Painted silver finishing
0990/200	200W	.86	Verniciato oro - Painted gold finishing
0990/200	200W	.87	Verniciato rame - Painted copper finishing
0990/200	200W	.88	Verniciato bronzo - Painted bronze finishing

DIMMERAZIONE
DIMMING

/P	/V	/D	/IT
/P	/V	/D	/IT
/P	/V	/D	/IT
/P	/V	/D	/IT
/P	/V	/D	/IT
/P	/V	/D	/IT



2,00 Kg



EGOLUCE s.r.l., via I. Newton 12 - 20016 Pero - Milano
 telefono +39 02 339586.1 - fax. +39 02 3535112
 e-mail: info@egoluce.com - http://www.egoluce.com